

## **TEK-ENTRY CONTROL UNIT CABINET**

### **APPLICATION**

TekTone®'s PM900 Control Unit with Cabinet is designed to provide no-phone-line capability when interfaced with TekTone®'s Tek-ENTRY® Telephone Entry Systems.

IH-996 Cabinet is designed to hold up to 8 RY-912 Relay Boards.

### **FEATURES**

- Use with rotary or touchtone service
- No monthly line rental fee
- Provides intercom to front entrance for tenants that do not have outside telephone line service
- Distinctive double ring differentiates between visitor calls and incoming calls
- Connection for guard phone
- Multiple entrance capability
- Only two wires to interface with lobby equipment
- Call waiting feature
- DOC and FCC approved

### **SPECIFICATIONS**

*Dimensions:* PM-900 14.5"H × 10.5"W × 6.5"W  
IH-996 14.5"H × 10.5"W × 6.5"W

*Power Required:* 110 VAC with PS-30A Transformers

*Mounting:* Surface

### **REQUIRED COMPONENTS**

- CT-912 Connector Assembly (1 per RY-912)
- IH-996 Relay Board Cabinet (96 lines)
- PM-900 Control Unit (1,000 lines)
- RY-912 Relay Board (1 per 12 lines)
- PS-30A Transformer
- TE-903ANP Enamel-coated Steel Entry System
- or-
- TE-905ANP Modular Aluminum Entry System



**PM-900**  
**No-Telephone-Line**  
**Control Unit with Cabinet**  
(for use with Tek-ENTRY® Telephone Entry Systems)

### **ARCHITECTS' AND ENGINEERS' SPECIFICATIONS**

TekTone®'s PM900 No-Telephone-Line Control Unit with Cabinet is for use with TekTone®'s Tek-ENTRY® Telephone Entry Systems, for installation as a no-phone-line system.

For no-phone-line service capability, include all of the required components of a standard Tek-ENTRY® system, plus: a PM-900 Control Unit, IH-996 Relay Board Cabinet (96 lines), RY-912 Relay Board (1 per 12 lines), and a CT-912 Connector Assembly (1 per RY-912). All equipment should be located in the telephone room.